

REZOLIN, LLC

Safety Data Sheet

9904 White Part A

SECTION 1: Identification

1.1 Product identifier

Product name	9904 White Part A
Product number	9904A
Brand	A+B® Epoxy Putty
Substance name	Mixture

1.2 Other means of identification

Epoxy Putty, clay like appearance and consistency

1.3 Recommended use of the chemical and restrictions on use

General repair putty
Pool leak /crack repair putty
No restricted uses known

1.4 Supplier's details

Name	Rezolin, LLC
Address	131 Business Center Dr Bldg A Unit 7 Ormond Beach, Florida 32174 United States
Telephone	386-677-8238
Fax	386-677-9072
email	info@rezolin.com

National contact

Name	Tony Dellinger
Address	131 Business Center Dr Bldg A Unit 7 Ormond Beach, Florida 32174 United States
Telephone	386-677-8238
Fax	386-677-9072
email	info@rezolin.com

1.5 Emergency phone number(s)

386-677-8238

SECTION 2: Hazard identification

General hazard statement

Eye irritant
Can cause skin irritation

Safety Data Sheet

9904 White Part A

Harmful if swallowed, irritating to mouth, throat and stomach
May cause allergic skin reaction

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation (chapter 3.3), Cat. 2A
- Sensitization, skin (chapter 3.4), Cat. 1
- Skin corrosion/irritation (chapter 3.2), Cat. 2

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H315
H317
H319

Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation

Precautionary statement(s)

P264
P280
P302+P352
P305+P351+P338

Wash hands thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of water and soap
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
Specific treatment (see ... on this label).
If skin irritation or a rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Dispose of contents/container to ...

P321
P333+P313
P337+P313
P362+P364
P501

2.3 Other hazards which do not result in classification

None known

Statement regarding ingredients of unknown toxicity

No data available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Substance name: Mixture

Other names / synonyms: Epoxy Putty

Components

Component	Concentration
EPOXYRESIN, reaction product: BISPHENOL-A(EPICHLOROHYDRIN), average molecule wei (CAS no.: 25068-38-6; EC no.: 500-033-5; Index no.: 603-074-00-8)	>= 5 - < 20 % (Weight)

Safety Data Sheet

9904 White Part A

CLASSIFICATIONS: Eye damage/irritation (chapter 3.3), Cat. 2; Skin corrosion/irritation (chapter 3.2), Cat. 2; Sensitization, skin (chapter 3.4), Cat. 1; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 2. HAZARDS: H315 - Causes skin irritation; H317 - May cause an allergic skin reaction; H319 - Causes serious eye irritation; H411 - Toxic to aquatic life with long lasting effects.	
Calcined Kaolin Clay (CAS no.: 1332-58-7)	> 5 - < 25 % (Weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
TITANIUM DIOXIDE (CAS no.: 13463-67-7)	> 1 - < 10 % (Weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
TALC powder (CAS no.: 14807-96-6; EC no.: 238-877-9)	> 1 - < 10 % (Weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
New component	Not specified
CLASSIFICATIONS: No data available. HAZARDS: No data available.	

Trade secret statement (OSHA 1910.1200(i))

Exact concentration of chemicals used withheld due to trade secrets.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Show this Safety Data Sheet to the doctor in attendance in case of emergency.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration.
In case of skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists. Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
If swallowed	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.
Personal protective equipment for first-aid responders	Provide a copy of this SDS to first aid responder

4.2 Most important symptoms/effects, acute and delayed

Skin: Can cause skin irritation. May cause an allergic skin reaction
Eye: Can cause serious eye irritation
Ingestion: Irritating to mouth, throat and stomach

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

5.2 Specific hazards arising from the chemical

Product is not considered flammable

5.3 Special protective actions for fire-fighters

In case of burning material wear self contained breathing apparatus and protective clothing with full face shield.

Safety Data Sheet

9904 White Part A

Further information

Flashpoint: 469F, 243C

Hazardous Combustion Products: Carbon Dioxide and Carbon Monoxide

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. For personal protection see section 8.

6.2 Environmental precautions

See Section 12 for additional ecological information.

6.3 Methods and materials for containment and cleaning up

Sweep up any excess product and put into appropriate container for disposal in accordance with local, state and federal regulations as a non-toxic waste.

Reference to other sections

Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use in well ventilated area.

Wear protective gloves and eye protection.

Do not eat, drink or smoke while using this product.

Wash hands after mixing product.

Use dust mask if grinding, sanding or cutting cured product.

Keep away from small children

Keep away from pets

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry safe area above 50F and below 90F.

Keep away from food and drink while mixing.

Reseal opened packages in a tightly closed container.

Specific end use(s)

Household general repairs

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: (not specified)

Soapstone

Cal/OSHA: See Annotated Z-3 PEL inhalation; NIOSH: See Annotated Z-3 REL inhalation; OSHA: See Annotated Z-3 ppm PEL inhalation; See Annotated Z-3 mg/m³ PEL inhalation

CAS: 13463-67-7

Titanium dioxide - Total dust

Cal/OSHA: See PNOR PEL inhalation; NIOSH: Ca, (ultrafine particles), 2.4 mg/m³(fine), 0.3 mg/m³(ultrafine), See Appendix A, See Appendix C REL inhalation; OSHA: 15 mg/m³ PEL inhalation

CAS: 14807-96-6

Silicates (less than 1% crystalline silica), Talc (containing no asbestos), respirable dust

Safety Data Sheet

9904 White Part A

Cal/OSHA: See Annotated Z-3 PEL inhalation; NIOSH: See Annotated Z-3 REL inhalation; OSHA: See Annotated Z-3 ppm PEL inhalation; See Annotated Z-3 mg/m3 PEL inhalation

CAS: 25068-38-6

EPOXYRESIN, reaction product: BISPHENOL-A(EPICHLOROHYDRIN), average molecule wei

8.2 Appropriate engineering controls

Good ventilation should be used in genral use of mixing and applying product.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear eye/face protection where appropriate

Skin protection

Wear protective gloves and clothing

Body protection

Wear protective gloves/clothing

Wear eye/face protection

Respiratory protection

None required unless sanding , drilling or grinding cured product.

Thermal hazards

No data available.

Control banding approach

No data available.

Environmental exposure controls

Not applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Semi solid, clay like texture
Odor	Mild nuetral
Odor threshold	No information available
pH	No data available
Melting point/freezing point	Not established
Initial boiling point and boiling range	No data available
Flash point	469F, 243C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.94
Solubility(ies)	Insoluble in water
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	>300F
Viscosity	No data available

Safety Data Sheet

9904 White Part A

Explosive properties
Oxidizing properties

Not explosive
No data available

Other safety information
No additional safety information

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

Will not occur

10.4 Conditions to avoid

None under normal use conditions.

10.5 Incompatible materials

Strong acids, strong oxidizing agents

10.6 Hazardous decomposition products

None under normal storage and use conditions

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

No data available, no hazards expected

Skin corrosion/irritation

May cause skin irritation with prolonged contact

Serious eye damage/irritation

Direct contact to the eyes may cause irritation

Respiratory or skin sensitization

May cause skin irritation with prolonged contact. Not considered a respiratory irritant

Germ cell mutagenicity

No specific data

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

Summary of evaluation of the CMR properties

No known effects or critical hazards

STOT-single exposure

Safety Data Sheet

9904 White Part A

No specific data available

STOT-repeated exposure

No specific data available

Aspiration hazard

Not an aspiration hazard

Additional information

Component Information

Chemical Name Oral LD50

Titanium dioxide 13463-67-7: >10000 mg/kg (Rat) - -

Bisphenol A - Epichlorohydrin polymer 25068-38-6: = 11400 mg/kg (Rat) 20000 mg/kg (rabbit) -

This product contains components in a non-respirable form. Inhalation of of listed components is unlikely to occur from exposure to this product.

SECTION 12: Ecological information

Toxicity

No data available.

Persistence and degradability

Not biodegradable

Bioaccumulative potential

Not biodegradable

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No specific data available

Other adverse effects

No known significant effects

SECTION 13: Disposal considerations

Disposal of the product

This product as supplied is not a hazardous waste in accordance with Federal regulations (40 CFR 261)

Disposal of contaminated packaging

Dispose of in accordance with all applicable local, state, federal and international regulations.

Waste treatment

Not applicable

Sewage disposal

Not applicable

Other disposal recommendations

Safety Data Sheet

9904 White Part A

Handle with proper hygiene practice. Refer to Sec 7 for protective measures.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

New Jersey Right To Know Components

Common name: TITANIUM DIOXIDE

CAS number: 13463-67-7

Pennsylvania Right To Know Components

Chemical name: Titanium oxide

CAS number: 13463-67-7

New Jersey Right To Know Components

Common name: TALC (NOT CONTAINING ASBESTOS FIBERS)

CAS number: 14807-96-6

Pennsylvania Right To Know Components

Chemical name: Talc

CAS number: 14807-96-6

15.2 Chemical Safety Assessment

United States

U.S. Federal regulations TSCA 8(a) PAIR: Siloxanes and Silicones, reaction products with silica

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed

Clean Air Act Section 602 Class I Substances: Not listed

Clean Air Act Section 602 Class II Substances: Not listed

CWA (Clean Water Act) (40 CFR 122.21 and 40 CFR 122.42): Not Listed

SARA 302/304 Composition/information on ingredients: No products were found

SARA 304 RQ: Not applicable

SARA 311/312 Hazard Categories Acute Health Hazard: Yes

California Prop 65 This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm. (Talc, not containing asbestos fibers and crystalline silica, non-respirable)

International regulations

Country(s) or region Inventory Name On inventory list (yes/no)*

Canada (DSL) Yes

Australia (AICS) Yes

China (IECSC) Yes

United States & Puerto Rico (TSCA) Yes

WHMIS: D2B

Safety Data Sheet

9904 White Part A

HMIS Rating

Mixture	
HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	A

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Rezolin, LLC be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Rezolin, LLC has been advised of the possibility of such damages.

16.2 Preparation information

Rezolin, LLC
March 1, 2017 Rev 1.0

REZOLIN, LLC
Safety Data Sheet
9900/9904/9906/9908 Part B Hardener

SECTION 1: Identification

1.1 Product identifier

Product name	9900/9904/9906/9908 Part B Hardener
Product number	9900B/9904B/9906B/9908B
Brand	A+B® Epoxy Putty
Substance name	Mixture

1.2 Other means of identification

Epoxy Putty, clay like appearance and consistency

1.3 Recommended use of the chemical and restrictions on use

General repair putty
Pool leak /crack repair putty
No restricted uses known

1.4 Supplier's details

Name	Rezolin, LLC
Address	131 Business Center Dr Bldg A Unit 7 Ormond Beach, Florida 32174 United States

Telephone	386-677-8238
Fax	386-677-9072
email	info@rezolin.com

National contact

Name	Tony Dellinger
Address	131 Business Center Dr Bldg A Unit 7 Ormond Beach, Florida 32174 United States

Telephone	386-677-8238
Fax	386-677-9072
email	info@rezolin.com

1.5 Emergency phone number(s)

386-677-8238

Safety Data Sheet

9900/9904/9906/9908 Part B Hardener

SECTION 2: Hazard identification

General hazard statement

Eye irritant
Can cause skin irritation
Harmful if swallowed, irritating to mouth, throat and stomach
May cause allergic skin reaction

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation (chapter 3.3), Cat. 2A
- Sensitization, skin (chapter 3.4), Cat. 1
- Skin corrosion/irritation (chapter 3.2), Cat. 2

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

Precautionary statement(s)

P264	Wash hands thoroughly after mixing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water/...
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P321	Specific treatment (see ... on this label).
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to ...

2.3 Other hazards which do not result in classification

None known

Statement regarding ingredients of unknown toxicity

No data available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Safety Data Sheet

9900/9904/9906/9908 Part B Hardener

Substance name: Mixture

Other names / synonyms: Epoxy Putty

Components

Component	Concentration
EPOXYRESIN , reaction product: BISPHENOL-A(EPICHLOOROHYDRIN) , average molecule wei (CAS no.: 25068-38-6; EC no.: 500-033-5; Index no.: 603-074-00-8)	>= 5 - < 20 % (Weight)
CLASSIFICATIONS: Eye damage/irritation (chapter 3.3), Cat. 2; Skin corrosion/irritation (chapter 3.2), Cat. 2; Sensitization, skin (chapter 3.4), Cat. 1; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 2. HAZARDS: H315 - Causes skin irritation; H317 - May cause an allergic skin reaction; H319 - Causes serious eye irritation; H411 - Toxic to aquatic life with long lasting effects.	
Calcined Kaolin Clay (CAS no.: 1332-58-7)	> 5 - < 25 % (Weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
TITANIUM DIOXIDE (CAS no.: 13463-67-7)	> 1 - < 10 % (Weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
TALC powder (CAS no.: 14807-96-6; EC no.: 238-877-9)	> 1 - < 10 % (Weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	

Trade secret statement (OSHA 1910.1200(i))

Exact concentration of chemicals used withheld due to trade secrets.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Show this Safety Data Sheet to the doctor in attendance in case of emergency.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration.
In case of skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists. Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
If swallowed	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.
Personal protective equipment for first-aid responders	Provide a copy of this SDS to first aid responder

4.2 Most important symptoms/effects, acute and delayed

Skin: Can cause skin irritation. May cause an allergic skin reaction
Eye: Can cause serious eye irritation
Ingestion: Irritating to mouth, throat and stomach

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically

SECTION 5: Fire-fighting measures

Safety Data Sheet

9900/9904/9906/9908 Part B Hardener

5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

5.2 Specific hazards arising from the chemical

Product is not considered flammable

5.3 Special protective actions for fire-fighters

In case of burning material, wear self contained breathing apparatus and protective clothing with full face shield.

Further information

Flashpoint: 469F, 243C

Hazardous Combustion Products: Carbon Dioxide and Carbon Monoxide

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. For personal protection see section 8.

6.2 Environmental precautions

See Section 12 for additional ecological information.

6.3 Methods and materials for containment and cleaning up

Sweep up any excess product and put into appropriate container for disposal in accordance with local, state and federal regulations as a non-toxic waste.

Reference to other sections

Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use in well ventilated area.

Wear protective gloves and eye protection.

Do not eat, drink or smoke while using this product.

Wash hands after mixing product.

Use dust mask if grinding, sanding or cutting cured product.

Keep away from small children

Keep away from pets

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry safe area above 50F and below 90F.

Keep away from food and drink while mixing.

Reseal opened packages in a tightly closed container.

Specific end use(s)

Household general repairs

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

9900/9904/9906/9908 Part B Hardener

8.1 Control parameters

CAS: (not specified)

Soapstone

Cal/OSHA: See Annotated Z-3 PEL inhalation; NIOSH: See Annotated Z-3 REL inhalation; OSHA: See Annotated Z-3 ppm PEL inhalation; See Annotated Z-3 mg/m³ PEL inhalation

CAS: 13463-67-7

Titanium dioxide - Total dust

Cal/OSHA: See PNOR PEL inhalation; NIOSH: Ca, (ultrafine particles), 2.4 mg/m³(fine), 0.3 mg/m³(ultrafine), See Appendix A, See Appendix C REL inhalation; OSHA: 15 mg/m³ PEL inhalation

CAS: 14807-96-6

Silicates (less than 1% crystalline silica), Talc (containing no asbestos), respirable dust

Cal/OSHA: See Annotated Z-3 PEL inhalation; NIOSH: See Annotated Z-3 REL inhalation; OSHA: See Annotated Z-3 ppm PEL inhalation; See Annotated Z-3 mg/m³ PEL inhalation

CAS: 25068-38-6

EPOXYRESIN, reaction product: BISPHENOL-A(EPICHLOROXYDRIN), average molecule wei

8.2 Appropriate engineering controls

Good ventilation should be used in genral use of mixing and applying product.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear eye/face protection where appropriate

Skin protection

Wear protective gloves and clothing

Body protection

Wear protective gloves/clothing

Wear eye/face protection

Respiratory protection

None required unless sanding , drilling or grinding cured product.

Thermal hazards

No data available.

Control banding approach

No data available.

Environmental exposure controls

Not applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)

Semi solid, clay like texture

Safety Data Sheet

9900/9904/9906/9908 Part B Hardener

Odor	Mild neutral
Odor threshold	No information available
pH	No data available
Melting point/freezing point	Not established
Initial boiling point and boiling range	No data available
Flash point	469F, 243C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.94
Solubility(ies)	Insoluble in water
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	>300F
Viscosity	No data available
Explosive properties	Not explosive
Oxidizing properties	No data available

Other safety information

No additional safety information

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

Will not occur

10.4 Conditions to avoid

None under normal use conditions.

10.5 Incompatible materials

Strong acids, strong oxidizing agents

10.6 Hazardous decomposition products

None under normal storage and use conditions

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

No data available, no hazards expected

Skin corrosion/irritation

May cause skin irritation with prolonged contact

Safety Data Sheet

9900/9904/9906/9908 Part B Hardener

Serious eye damage/irritation

Direct contact to the eyes may cause irritation

Respiratory or skin sensitization

May cause skin irritation with prolonged contact. Not considered a respiratory irritant

Germ cell mutagenicity

No specific data

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

Summary of evaluation of the CMR properties

No known effects or critical hazards

STOT-single exposure

No specific data available

STOT-repeated exposure

No specific data available

Aspiration hazard

Not an aspiration hazard

Additional information

None

SECTION 12: Ecological information

Toxicity

No data available.

Persistence and degradability

Not biodegradable

Bioaccumulative potential

Not biodegradable

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No specific data available

Other adverse effects

No known significant effects

SECTION 13: Disposal considerations

Safety Data Sheet

9900/9904/9906/9908 Part B Hardener

Disposal of the product

This product as supplied is not a hazardous waste in accordance with Federal regulations (40 CFR 261)

Disposal of contaminated packaging

Dispose of in accordance with all applicable local, state, federal and international regulations.

Waste treatment

Not applicable

Sewage disposal

Not applicable

Other disposal recommendations

Handle with proper hygiene practice. Refer to Sec 7 for protective measures.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

New Jersey Right To Know Components

Common name: TITANIUM DIOXIDE

CAS number: 13463-67-7

Pennsylvania Right To Know Components

Chemical name: Titanium oxide

CAS number: 13463-67-7

New Jersey Right To Know Components

Common name: TALC (NOT CONTAINING ASBESTOS FIBERS)

CAS number: 14807-96-6

Pennsylvania Right To Know Components

Chemical name: Talc

CAS number: 14807-96-6

15.2 Chemical Safety Assessment

United States

U.S. Federal regulations TSCA 8(a) PAIR: Siloxanes and Silicones, reaction products with silica

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed

Clean Air Act Section 602 Class I Substances: Not listed

Safety Data Sheet

9900/9904/9906/9908 Part B Hardener

Clean Air Act Section 602 Class II Substances: Not listed
CWA (Clean Water Act) (40 CFR 122.21 and 40 CFR 122.42): Not Listed
SARA 302/304 Composition/information on ingredients: No products were found
SARA 304 RQ: Not applicable
SARA 311/312 Hazard Categories Acute Health Hazard: Yes

California Prop 65 This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm. (Talc, not containing asbestos fibers and crystalline silica, non-respirable)

International regulations

Country(s) or region Inventory Name On inventory list (yes/no)*
Canada (DSL) Yes
Australia (AICS) Yes
China (IECSC) Yes
United States & Puerto Rico (TSCA) Yes

WHMIS: D2B

HMIS Rating

Mixture	
HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	A

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Rezolin, LLC be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Rezolin, LLC has been advised of the possibility of such damages.

16.2 Preparation information

Rezolin, LLC
March 1, 2017 Rev 1.0

Part B Hardener is common hardener to the 9900A 9904A 9906A & 9908A products.